

EUROPEAN COMMISSION

> Brussels, 22.3.2018 COM(2018) 144 final

ANNEXES 1 to 7

ANNEXES

to the

Proposal for a Regulation of the European Parliament and of the Council

on persistent organic pollutants (recast)

↓ 757/2010 Art. 1 and Annex .1 (adapted)
→1 293/2016 Art. 1 and Annex
→2 519/2012 Art. 1 and Annex .1(a)
→3 519/2012 Art. 1 and Annex .1(b)
→4 519/2012 Art. 1 and Annex .2
→5 2030/2015 Art. 1 and Annex
⇒ new

ANNEX I

Part A — Substances listed in the Convention and in the Protocol as well as substances
listed only in the Convention

	-		
Substance	CAS No	EC No	Specific exemption on intermediate use or other specification
Tetrabromodiphenyl ether C ₁₂ H ₆ Br ₄ O	Image: Solution of the state of the st	⊠ 254- 787-2 and others ≪	 For the purposes of this entry, Article 4(1)(b) shall apply to concentrations of Tetrabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) when it occurs in substances, preparations ≥ mixtures ≤ , articles or as constituents of the flame-retarded parts of articles. By way of derogation, the production, placing on the market and use of the following shall be allowed: (a) without prejudice to subparagraph (b), articles and preparations ≥ mixtures ≤ and preparations ≥ mixtures ≤

			containing
			concentration s below 0,1
			% of
			tetrabromodi phenyl ether
			by weight
			when
			produced partially or
			fully from
			recycled materials or
			materials or materials
			from waste
			prepared for re-use;
			(b) electrical and
			electronic
			equipment within the
			scope of
			Directive 2002/95/EC
			of the
			European
			Parliament and Council ¹ .
			3. Use of articles
			already in use in the
			Union before 25 August 2010
			containing
			Tetrabromodiphenyl
			ether as a constituent of such articles shall
			be allowed. Article
			4(2), third and fourth
			subparagraphs shall apply in relation to
			such articles.
Pentabromodiphenyl ether	i 32534-81-9 and	≥ 251-	1. For the purposes of
$C_{12}H_5Br_5O$	others 🖾	084-2 and others \bigotimes	this entry, Article 4(1)(b) shall apply to
			concentrations of
			pentabromodiphenyl

OJ L 37, 13.2.2003, p. 19.

ether equal to or
below 10 mg/kg
(0,001 % by weight)
when it occurs in
substances,
preparations
\boxtimes mixtures \bigotimes ,
articles or as
constituents of the
flame-retarded parts
of articles.
2 By wey of
2. By way of
derogation, the
production, placing on
the market and use of
the following shall be
allowed:
(a) without
prejudice to
subparagraph
(b), articles
and
preparations
⊠ mixtures
\boxtimes
containing
concentration
s below 0,1
% of
pentabromodi
phenyl ether
by weight
when
produced
partially or
fully from
recycled
materials or
materials
from waste
prepared for
re-use;
(b) electrical
and
electronic
equipment within the
1
Directive

			2002/95/EC.
			3. Use of articles already in use in the Union before 25 August 2010 containing Pentabromodiphenyl ether as a constituent of such articles shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.
Hexabromodiphenyl ether C ₁₂ H ₄ Br ₆ O	Image: Solution of the second sec	∑ 253- 058-6 and others	1. For the purposes of this entry, Article 4(1)(b) shall apply to concentrations of hexabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) when it occurs in substances, preparations \bowtie mixtures $\langle X \rangle$, articles or as constituents of the flame-retarded parts of articles. 2. By way of derogation, the production, placing on the market and use of the following shall be allowed: (a) without prejudice to subparagraph (b), articles and preparations \boxtimes mixtures $\langle X \rangle$ containing concentration s below 0,1 % of

			hexabromobi phenyl ether by weight when produced partially or fully from recycled materials or materials or materials from waste prepared for re-use; (b) electrical and electronic equipment within the scope of Directive 2002/95/EC. 3. Use of articles already in use in the Union before 25 August 2010 containing Hexabromodiphenyl ether as a constituent of such articles shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.
Heptabromodiphenyl ether C ₁₂ H ₃ Br ₇ O	I ≤> 68928-80-3 and others ≤	 № 273- 031-2 and others	1. For the purposes of this entry, Article 4(1)(b) shall apply to concentrations of heptabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) when it occurs in substances, preparations ⊠ mixtures ⊠ , articles or as constituents of the flame-retarded parts

of articles.
2. By way of derogation, the
production, placing on
the market and use of
the following shall be
allowed:
(a) without
prejudice to
subparagraph
(b), articles
and
preparations
⊠ mixtures
containing
concentration
s below 0,1
% of
heptabromodi
phenyl ether
by weight
when
produced partially or
fully from
recycled
materials or
materials
from waste
prepared for
re-use;
(b) electrical
and
electronic
equipment
within the
scope of Directive
2002/95/EC.
3. Use of articles
already in use in the Union before 25
August 2010
containing
Heptabromodiphenyl
ether as a constituent
of such articles shall
be allowed. Article

		4(2), third and fourth subparagraphs shall apply in relation to such articles.
Perfluorooctane sulfonic acid and its derivatives (PFOS) C ₈ F ₁₇ SO ₂ X (X = OH, Metal salt (O- M ⁺), halide, amide, and other derivatives including polymers)	 ▶ 1763-23-1 2795-39-3 29457-72-5 29081-56-9 70225-14-8 56773-42-3 251099-16-8 4151-50-2 31506-32-8 1691-99-2 24448-09-7 307-35-7 and others <∑ 	1. For the purposes of this entry, Article 4(1)(b) shall apply to concentrations of PFOS equal to or below 10 mg/kg (0,001 % by weight) when it occurs in substances or in <u>preparations</u> \bowtie mixtures $\langle \Xi \rangle$. 2. For the purposes of this entry, Article 4(1) (b) shall apply to concentrations of PFOS in semi-finished products or articles, or parts thereof, if the concentration of PFOS is lower than 0,1 % by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is lower than 1 µg/m ² of the coated material. 3. Use of articles already in use in the Union before 25 August 2010 containing PFOS as a constituent of such articles shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.

4. Fire-fighting foams that were placed on the market before 27 December 2006 may be used until 27 June 2011.
5. If the quantity released into the environment is minimised, production ⇒ manufacturing ⇐ and placing on the market is allowed for the following specific uses provided that Member States report to the Commission every four years on progress made to eliminate PFOS:
(a) until 2 August 2015 wetting agents for us in controlled electroplating systems;
(b) photoresists or and reflective coatings fo photolithogra phy processes;
(c) photographic coatings applied to films, papers or printin plates;
(d) mis suppressants for non decorative hard chromium

(VI) plating in closed loop
systems;
(e) hydraulic
fluids for aviation.
Where derogations in points (a) to (e) above
concern the
production or use in
an installation within the scope of Directive
2008/1/EC of the
European Parliament
and of the Council ² , the relevant best
available techniques
for the prevention and
minimisation of emissions of PFOS
described in the
information published
by the Commission
pursuant to Article 17(2), second
subparagraph, of
Directive 2008/1/EC
shall apply.
As soon as new
information on details of uses and safer
alternative substances
or technologies for the
uses in points (b) to (e) becomes available,
the Commission shall
review the derogations
in the second subparagraph so that:
(i) the uses of
PFOS will be
phased out as
soon as the use of safer
alternatives is

technically and economically feasible, (ii) a derogation can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been reported on, (iii) releases of PFOS into the environment have been reported on, (iii) preleases of PFOS into the environment have been reported on, (I) preleases of PFOS into the environment have been reported on, (I) preleases of PFOS into the ser available techniques. > > > > > > > > > >		
 economically feasible, (ii) a derogation can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. ₹2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ED mixtures ED		ly
 feasible, (ii) a derogation can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. ⇒2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations EF mixtures & and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 	and	
 (ii) a derogation can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. > 2 6. Once standards are adopted by the European Committee for Standards ario demonstrating the conformity of substances, preparations, ES mixtures CB and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 	economic	cally
 derogation can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardfastion ((CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations B mixtures an adopted by the analytical method for which the user can prove equivalent performance could be 	feasible,	
 derogation can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardfastion ((CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations B mixtures an adopted by the analytical method for which the user can prove equivalent performance could be 		0
 can only be continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures and analytical test method for which the user can prove equivalent performance could be 		
 continued for essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations E> mixtures <e 1="" 2.="" analytical="" and="" any="" articles="" be<="" can="" could="" equivalent="" for="" li="" method="" other="" paragraphs="" performance="" prove="" the="" to="" user="" which=""> </e>		
 essential uses for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (ii) releases of PFOS into the environment have been minimised by applying best available techniques. ⇒2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations. ⊠ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
for which safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (ii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations E> mixtures <20 and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be		
 safer alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (ii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations E> mixtures (SI and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
alternatives do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations B> mixtures <21 and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be		vnicn
do not exist and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations [S] mixtures (S] and articles to paragraphs I and 2. Any other analytical method for which the user can prove equivalent performance could be		
and where the efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations IS mixtures S and articles to paragraphs I and 2. Any other analytical method for which the user can prove equivalent performance could be		
 efforts undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations B> mixtures (SI and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
 undertaken to find safer alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠> mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		e the
 find safer alternatives have been reported on, (ii) releases of PFOS into the environment have been minimised by applying best available techniques. ▶2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
alternatives have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations Smixtures SI and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be		
have been reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, proparations Image: Image: Image and the propagation of the user can prove equivalent performance could be		
 reported on, (iii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations mixtures and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
 (ii) releases of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
 of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations mixtures and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 	reported	on,
 of PFOS into the environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations mixtures and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 	(iii) rela	eases
 environment have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures () and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
 have been minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations Image: Image: Imag	the	
 minimised by applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures ≪I and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 	environm	nent
applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	have	been
applying best available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	minimise	d by
available techniques. →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations © mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be		-
 →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures ≪ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
 →2 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures ≪ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 	technique	es.
 6. Once standards are adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ∞ mixtures ≪ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be 		
adopted by the European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be		
European Committee for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠> mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	6. Once standards	are
for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	adopted by the	
for Standardisation (CEN) they shall be used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠ mixtures ⊠ and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	European Commit	ttee
used as the analytical test methods for demonstrating the conformity of substances, preparations ⊠ mixtures < and articles to paragraphs		
test methods for demonstrating the conformity of substances, preparations ⊠ mixtures ≪I and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	(CEN) they shall	be
demonstrating the conformity of substances, preparations Some mixtures Some mixtures Image: state mixtures Image: statemixtures Im	used as the analytic	ical
conformity of substances, preparations ⊠> mixtures <⊠ and	test methods for	
substances, preparations Somitures Sometimes and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	demonstrating the	,
substances, preparations Somitures Sometimes and articles to paragraphs 1 and 2. Any other analytical method for which the user can prove equivalent performance could be	conformity of	
Image: Second secon		
Image: Second secon		
1 and 2. Any other analytical method for which the user can prove equivalent performance could be		nd
1 and 2. Any other analytical method for which the user can prove equivalent performance could be	articles to paragra	phs
analytical method for which the user can prove equivalent performance could be		
which the user can prove equivalent performance could be		
performance could be		
performance could be	prove equivalent	
	performance could	d be

			to the CEN standards.
DDT (1,1,1-trichloro-2,2- bis(4- chlorophenyl)ethane)	50-29-3	200-024-3	
Chlordane	57-74-9	200-349-0	—
Hexachlorocyclohexanes,	58-89-9	200-401-2	—
including lindane	319-84-6	206-270-8	
	319-85-7	206-271-3	
	608-73-1	210-168-9	
Dieldrin	60-57-1	200-484-5	
Endrin	72-20-8	200-775-7	_
Heptachlor	76-44-8	200-962-3	
→ ₃ Endosulfan	 →₃ 115-29-7 959-98-8 33213-65-9 € 	→ ₃ 204- 079-4	 →₃ 1. Placing on the market and use of articles produced before or on 10 July 2012 containing endosulfan as a constituent of such articles shall be allowed until 10 January 2013. 2. Placing on the market and use of articles already in use before or on 10 July 2012 containing endosulfan as a constituent of such articles shall be allowed. 3. Article 4(2), third and fourth subparagraphs shall apply to articles referred to in paragraphs 1 and 2.
Hexachlorobenzene	118-74-1	200-273-9	—

Chlordecone	143-50-0	205-601-3	
Aldrin	309-00-2	206-215-8	
Pentachlorobenzene	608-93-5	210-172-5	
Polychlorinated Biphenyls (PCB)	1336-36-3 and others	215-648-1 and others	Without prejudice to Directive 96/59/EC, articles already in use at the time of the entry into force of this Regulation are allowed to be used. ⇒ Member States shall identify and remove from use equipment (e.g. transformers, capacitors or other receptacles containing liquid stocks) containing more than 0,005 % PCBs and volumes greater than 0,05 dm3, as soon as possible but no later than 31 December 2025. ⇐
Mirex	2385-85-5	219-196-6	—
Toxaphene	8001-35-2	232-283-3	
Hexabromobiphenyl	36355-01-8	252-994-2	
 → 1 Hexabromocyclodode cane 'Hexabromocyclododecan e' means: hexabromocyclododecane, 1,2,5,6,9,10- hexabromocyclododecane and its main diastereoisomers: alpha- hexabromocyclododecane ; beta- hexabromocyclododecane ; and gamma- hexabromocyclododecane 	 ▶1 25637-99-4, 3194-55-6, 134237-50-6, 134237-51-7, 134237-52-8 € 	→ ₁ 247- 148-4, 221-695- 9 ←	➔ 1 1. For the purposes of this entry, Article 4(1)(b) shall apply to concentration s of hexabromocy clododecane equal to or below 100 mg/kg (0,01 % by weight) when it

occurs in
substances,
preparations
⊠ mixtures
✓ , articles
or as
constituents
of the flame-
retarded parts
of articles,
subject to
review by the
Commission
by 22 March
2019.
2. The use of
hexabromocy
clododecane,
whether on
its own or in
preparations
⊠ mixtures
🖾 , in the
production of
expanded
polystyrene
articles, and
the
production
⇒ manufactu
$\operatorname{ring} \Leftrightarrow$ and
placing on
the market of
hexabromocy
clododecane
for such use,
shall be
allowed
provided that
such use has
been
authorised in
accordance
with Title VII
of Regulation
(EC) No
1907/2006 of
the European
Parliament
and of the

	<u>,</u>
	Council ³ , or
	is the subject
	of an
	application
	for
	authorisation
	submitted by
	21 February
	2014 where a
	decision on
	that
	application
	has yet to be
	taken.
	The placing
	on the market
	and use of
	hexabromocy
	clododecane,
	whether on
	its own or in
	preparations
	⊠ mixtures
	🖾 , in
	accordance
	with this
	paragraph
	shall only be
	allowed until
	26 November
	2019 or, if
	earlier, the
	date of expiry
	of the review
	period
	specified in
	an
	authorisation
	decision or
	the date of
	withdrawal of
	that
	authorisation
	pursuant to

³ →₁ Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (OJ L 396, 30.12.2006, p. 1). €

Title VII of Regulation (EC) No 1907/2006.
The placing on the market and use in buildings of expanded polystyrene articles, that
contain hexabromocy clododecane
as a constituent of such articles and are
produced in accordance with the
exemption in this paragraph,
shall be allowed until 6 months after the date of expiry of that
exemption. Such articles already in use by that date may continue
to be used. 3. Without prejudice to the
exemption in paragraph 2, the placing
on the market and use in buildings of expanded
polystyrene articles and extruded polystyrene

TT	
	articles that
	contain
	hexabromocy
	clododecane
	as a
	constituent of
	such articles
	and are
	produced
	before or on
	22 March
	2016 shall be
	allowed until
	22 June 2016.
	Paragraph 6
	shall apply as
	if such
	articles were
	produced
	pursuant to
	the
	exemption in
	paragraph 2.
	4. Articles
	that contain
	hexabromocy
	clododecane
	as a
	constituent of
	such articles
	and are
	already in use
	before or on
	22 March
	2016 may
	•
	continue to
	be used and
	further placed
	on the market
	and
	paragraph 6
	shall not
	apply. Article
	4(2), third
	and fourth
	subparagraph
	s shall apply
	to such
	articles.
	arucies.
	5. The
	5. 1110

	placing on the market and use in buildings of imported expanded polystyrene articles that contain
	hexabromocy clododecane as a constituent of such articles shall be
	allowed until the date of expiry of the exemption in paragraph 2 and paragraph 6
	shall apply as if such articles were produced pursuant to the
	exemption in paragraph 2. Such articles already in use by that date may continue to be used.
	6. Without prejudice to the application of other Union provisions on
	the classification, packaging and labelling of substances and mixtures, expanded
	polystyrene, in which

			hexabromocy clododecane is used pursuant to the exemption in paragraph 2, must be identifiable by labelling or other means throughout its life cycle. €
⇔ Hexachlorobutadiene ⇔	⇔ 87-68-3 ⇔	⇔ 201- 765-5 ⇔	 ⇒ 1. Placing on the market and use of articles produced before or on 10 July 2012 containing hexachlorobutadiene as a constituent of such articles shall be allowed until 10 January 2013.
			2. Placing on the market and use of articles already in use before or on 10 July 2012 containing hexachlorobutadiene as a constituent of such articles shall be allowed.
			3. Article 4(2), third and fourth subparagraph s shall apply to articles referred to in paragraphs 1 and 2. ⇐
⇒ Pentachlorophenol and its salts and esters <>	⇒ 87-86-5 and others ⇐	 ⇒ 201- 778-6 and others < 	⇔ - ⇔

⇒ Polychlorinated naphthalenes ⁴ ⇔	⇒ 70776-03-3 and others ←	⇒ 274- 864-4 and others ←	 ⇒ 1. Placing on the market and use of articles produced before or on 10 July 2012 containing polychlorinated naphthalenes as a constituent of such articles shall be allowed until 10 January 2013. 2. Placing on the market and use of
			market and use of articles already in use before or on 10 July 2012 containing polychlorinated naphthalenes as a constituent of such articles shall be allowed.
			3. Article 4(2), third and fourth subparagraph s shall apply to articles referred to in paragraphs 1 and 2. ⇐

Part B — Substances listed only in the Protocol

Substance	CAS No	EC No	Specific exemption on intermediate use or other specification
→ ₄ Hexachlorobutadien e ←	→4 87-68- 3 ←	→ ₄ 201- 765-5 ←	 →4 1. Placing on the market and use of articles produced before or on 10 July 2012 containing hexachlorobutadiene as a constituent of such articles shall be allowed until 10 January 2013. 2. Placing on the market and use of articles already in use before or on 10 July 2012 containing hexachlorobutadiene as a constituent

 \rightarrow_4 Polychlorinated naphthalenes means chemical compounds based on the naphthalene ring system, where one or more hydrogen atoms have been replaced by chlorine atoms. \leftarrow

			of such articles shall be allowed.
			3. Article 4(2), third and fourth subparagraphs shall apply to articles referred to in paragraphs 1 and 2. ←
→ ₄ Polychlorinated naphthalenes			→ $_4$ 1. Placing on the market and use of articles produced before or on 10 July 2012 containing polychlorinated naphthalenes as a constituent of such articles shall be allowed until 10 January 2013.
			2. Placing on the market and use of articles already in use before or on 10 July 2012 containing polychlorinated naphthalenes as a constituent of such articles shall be allowed.
			3. Article 4(2), third and fourth subparagraphs shall apply to articles referred to in paragraphs 1 and 2. ←
 →₅ Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs) ← 	→ ₅ 85535- 84-8 ←	→ ₅ 287- 476-5 ←	 →5 1. By way of derogation, the production, placing on the market and use of substances or preparations ∞ mixtures ∞ containing SCCPs in concentrations lower than 1 % by weight or articles containing SCCPs in concentrations lower than 0,15 % by weight shall be allowed. 2. Use shall be allowed in
			respect of: (a) conveyor belts in the mining industry and dam sealants containing SCCPs already in use before or on 4 December 2015; and
			(b) articles containing SCCPs other than those referred to in (a) already in use before or on 10 July 2012.
			3. Article 4(2) third and fourth subparagraphs shall apply to the articles referred

	to in point 2 above. 🗲

↓ Corrigendum, OJ L 229, 29.6.2004, p. 5

ANNEX II

LIST OF SUBSTANCES SUBJECT TO RESTRICTIONS

PART A – Substances listed in the Convention and in the Protocol

Substance	CAS No	EC No	Conditions of restriction

PART B – Substances listed only in the Protocol

Substance	CAS No	EC No	Conditions of restriction

ANNEX III

LIST OF SUBSTANCES SUBJECT TO RELEASE REDUCTION PROVISIONS

SUBSTANCE (CAS NO)

Polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/PCDF)

Hexachlorobenzene (HCB) (CAS No: 118-74-1)

Polychlorinated biphenyls (PCB)

Polycyclic aromatic hydrocarbons (PAHs)⁵

▶ 757/2010 Art. 1 and Annex .2

Pentachlorobenzene (CAS No 608-93-5)

For the purpose of emission inventories, the following four compound indicators shall be used: benzo(a)pyrene, benzo(b) fluoranthene, benzo(k)fluoranthene and indeno(1,2,3-cd)pyrene.

ANNEX IV

List of substances subject to waste management provisions set out in Article 7

Substance	CAS No	EC No	Concentration limit referred to in Article 7(4)(a)
Endosulfan	115-29-7 959-98-8 33213-65-9	204-079-4	50 mg/kg
Hexachlorobutadiene	87-68-3	201-765-5	100 mg/kg
Polychlorinated naphthalenes ⁶			10 mg/kg
Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)	85535-84-8	287-476-5	10000 mg/kg
Tetrabromodiphenyl ether C ₁₂ H ₆ Br ₄ O	⊠ 40088-47-9 and others ≪	Solution ≥ 254-787-2 and others <	Sum of the concentrations of tetrabromodiphenyl ether,
Pentabromodiphenyl ether C ₁₂ H ₅ Br ₅ O	i ≥ 32534-81-9 and others ≤	I ≥ 251-084-2 and others < I	pentabromodiphenyl ether, hexabromodiphenyl ether and
Hexabromodiphenyl ether $C_{12}H_4Br_6O$	i≫ 36483-60-0 and others ⊗		heptabromodiphenyl ether: 1000 mg/kg
Heptabromodiphenyl ether C ₁₂ H ₃ Br ₇ O	i ≤> 68928-80-3 and others ≤	Image: Solution in the second sec	
Perfluorooctane sulfonic acid and its derivatives (PFOS)	 № 1763-23-1 2795-39-3 29457-72-5 	 ≥ 217-179-8 220-527-1 249-644-6 	50 mg/kg

⁶ Polychlorinated naphthalenes means chemical compounds based on the naphthalene ring system, where one or more hydrogen atoms have been replaced by chlorine atoms.

C ₈ F ₁₇ SO ₂ X	29081-56-9	249-415-0	
(X = OH, Metal salt	70225-14-8	274-460-8	
(O-M ⁺), halide, amide, and other	56773-42-3	260-375-3	
derivatives including	251099-16-8		
polymers)	4151-50-2	223-980-3	
	31506-32-8	250-665-8	
	1691-99-2	216-887-4	
	24448-09-7	246-262-1	
	$307-35-7$ and others $\overleftarrow{\times}$	206-200-6 and others ⊠	
Polychlorinated			15 μg/kg ⁷

⁷ The limit is calculated as PCDD and PCDF according to the following toxic equivalency factors (TEFs):

PCDD	TEF
PCDF	TEF
PCDD	TEF
2,3,7,8-TeCDD	1
1,2,3,7,8-PeCDD	1
1,2,3,4,7,8-HxCDD	0,1
1,2,3,6,7,8-HxCDD	0,1
1,2,3,7,8,9-HxCDD	0,1
1,2,3,4,6,7,8-HpCDD	0,01
OCDD	0,0003
2,3,7,8-TeCDF	0,1
1,2,3,7,8-PeCDF	0,03
2,3,4,7,8-PeCDF	0,3
1,2,3,4,7,8-HxCDF	0,1
1,2,3,6,7,8-HxCDF	0,1
1,2,3,7,8,9-HxCDF	0,1
2,3,4,6,7,8-HxCDF	0,1

dibenzo-p-dioxins and dibenzofurans (PCDD/PCDF)			
DDT (1,1,1-trichloro- 2,2-bis (4- chlorophenyl)ethane)	50-29-3	200-024-3	50 mg/kg
Chlordane	57-74-9	200-349-0	50 mg/kg
Hexachlorocyclohexa	58-89-9	210-168-9	50 mg/kg
nes, including lindane	319-84-6	200-401-2	
intente	319-85-7	206-270-8	
	608-73-1	206-271-3	
Dieldrin	60-57-1	200-484-5	50 mg/kg
Endrin	72-20-8	200-775-7	50 mg/kg
Heptachlor	76-44-8	200-962-3	50 mg/kg
Hexachlorobenzene	118-74-1	200-273-9	50 mg/kg
Chlordecone	143-50-0	205-601-3	50 mg/kg
Aldrin	309-00-2	206-215-8	50 mg/kg
Pentachlorobenzene	608-93-5	210-172-5	50 mg/kg
Polychlorinated Biphenyls (PCB)	1336-36-3 and others	215-648-1	50 mg/kg^8
Mirex	2385-85-5	219-196-6	50 mg/kg
Toxaphene	8001-35-2	232-283-3	50 mg/kg
Hexabromobiphenyl	36355-01-8	252-994-2	50 mg/kg
→ ₁ Hexabromocyclo dodecane ⁹ ←	→ ₁ 25637-99-4,	→1 247-148-4	→ 1 1000 mg/kg, subject to review by

1,2,3,4,6,7,8-HpCDF	0,01
1,2,3,4,7,8,9-HpCDF	0,01
OCDF	0,0003

⁸ Where applicable, the calculation method laid down in European standards EN 12766-1 and EN 12766-2 shall apply.

3194-55-6, 134237-50-6,	221-695-9 🗲	the Commission by 20.4.2019 €
134237-51-7,		
134237-52-8 🗲		

 $[\]Rightarrow_1$ 'Hexabromocyclododecane' means hexabromocyclododecane, 1,2,5,6,9,10-hexabromocyclododecane and its main diastereoisomers: alpha-hexabromocyclododecane, beta-hexabromocyclododecane and gamma-hexabromocyclododecane. \Leftarrow

✔ Corrigendum, OJ L 229,
 29.6.2004, p. 5 (adapted)
 ➔₁ 304/2009 Art. 1 and Annex
 .2(a)

ANNEX V

WASTE MANAGEMENT

PART 1 DISPOSAL AND RECOVERY UNDER ARTICLE 7(2)

The following disposal and recovery operations, as provided for in <u>Annex</u> <u>Annexes</u> I <u>HA</u> and II<u>B</u> of Directive <u>75/442/EEC2008/98/EC</u>, are permitted for the purposes of Article 7(2), when applied in such a way as to ensure that the persistent organic pollutant content is destroyed or irreversibly transformed

D9	Physico-chemical treatment,
D10	Incineration on land, and
R1	Use principally as a fuel or other means to generate energy, excluding waste containing PCBs.
→ 1 R4 ←	 → 1 Recycling/reclamation of metals and metal compounds, under the following conditions: The operations are restricted to residues from iron- and steel-making processes such as dusts or sludges from gas treatment or mill scale or zinc-containing filter dusts from steelworks, dusts from gas cleaning systems of copper smelters and similar wastes and lead-containing leaching residues of the non-ferrous metal production. Waste containing PCBs is excluded. The operations are restricted to processes for the recovery of iron and iron alloys (blast furnace, shaft furnace and hearth furnace) and non-ferrous metals (Waelz rotary kiln process, bath melting processes using vertical or horizontal furnaces), provided the facilities meet as minimum requirements the emission limit values for PCDDs and PCDFs laid down in ⊠ accordance with ⊠ Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions 2000/76/EC of the European Parliament and of the Council of 14 December 2000 on the incineration of waste¹⁰, whether or not the processes are subject to that Directive and without prejudice to the other provisions of ⊠ the ⊠ Directive 2000/76/EC where it applies and to the provisions of Directive 96/61/EC.

Pre-treatment operation prior to destruction or irreversible transformation pursuant to this Part of this Annex may be performed, provided that a substance listed in Annex IV that is isolated from the waste during the pre-treatment is subsequently disposed of in accordance with this Part of this Annex. \rightarrow_1 Where only part of a product or waste, such as waste equipment, contains or is contaminated with persistent organic pollutants, it shall be separated and then

¹⁰ Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions (integrated pollution prevention and control) (OJ L 334, 17.12.2010, p. 17–119)

disposed of in accordance with the requirements of this Regulation. \leftarrow In addition, repackaging and temporary storage operations may be performed prior to such pre-treatment or prior to destruction or irreversible transformation pursuant to this part of this Annex.

↓ 172/2007 Art. 1 and Annex

PART 2 WASTES AND OPERATIONS TO WHICH ARTICLE 7(4)(B) APPLIES

The following operations are permitted for the purposes of Article 7(4)(b) in respect of the wastes specified, defined by the six-digit code as classified in Commission Decision $2000/532/\text{EC}^{11}$

↓ 323/2007 Art. 1 and Annex

Pre-treatment operations prior to permanent storage pursuant to this part of this Annex may be performed, provided that a substance listed in Annex IV that is isolated from the waste during the pre-treatment is subsequently disposed of in accordance with Part 1 of this Annex. In addition, repackaging and temporary storage operations may be performed prior to such pre-treatment or prior to permanent storage pursuant to this part of this Annex.

		↓ 460	0/2016 Art. 1 and Annex
in	tes as classified Commission Decision 000/532/EC	Maximum concentration limits of substances listed in Annex IV ¹²	Operation
10 10 01	WASTES FROM THERMAL PROCESSE S Wastes from power stations and other combustion plants (except 19)	Alkanes C_{10} - C_{13} , chloro (short-chain chlorinated paraffins) (SCCPs): 10000 mg/kg; Aldrin: 5000 mg/kg; Chlordane: 5000 mg/kg; Chlordecone: 5000 mg/kg; DDT (1,1,1-trichloro-2,2-bis (4- chlorophenyl) ethane): 5000 mg/kg; Dieldrin: 5000 mg/kg;	Permanent storage shall be allowed only when all the following conditions are met: (1) The storage takes place in one of the following locations: - safe, deep, under- ground, hard rock
10 01	Bottom ash, slag and	Endrin: 5000 mg/kg;	formations, – salt mines,

¹¹ Commission Decision 2000/532/EC of 3 May 2000 replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste (OJ L 226, 6.9.2000, p. 3). Decision last amended by Commission Decision 2014/955/EU of 18 December 2014 (OJ L 370, 30.12.2014)

¹² These limits apply exclusively to a landfill site for hazardous waste and do not apply to permanent underground storage facilities for hazardous waste, including salt mines.

14 * ¹⁷	boiler dust from co- incineration containing hazardous substances Fly ash from	Heptachlor: 5000 mg/kg; Hexabromobiphenyl: 5000 mg/kg; Hexabromocyclododecane ¹³ : 1000 mg/kg; Hexachlorobenzene: 5000 mg/kg; Hexachlorobutadiene: 1000 mg/kg;	- a landfill site for hazardous waste, provided that the waste is solidified or
01 16 *	co- incineration containing hazardous substances	Hexachlorocyclohexanes, including lindane: 5000 mg/kg; Mirex: 5000 mg/kg; Pentachlorobenzene: 5000 mg/kg;	partly stabilised where technically feasible as
10 02	Wastes from the iron and steel industry	Perfluorooctane sulfonic acid and its derivatives (PFOS) ($C_8F_{17}SO_2X$) (X = OH, Metal salt (O-M ⁺), halide, amide, and other derivatives including polymers): 50 mg/kg;	required for classificatio n of the waste in subchapter 19 03 of
10 02 07 *	Solid wastes from gas treatment containing hazardous substances	Polychlorinated Biphenyls (PCB) ¹⁴ : 50 mg/kg; Polychlorinated dibenzo-p-dioxins and dibenzofurans: 5 mg/kg; Polychlorinated naphthalenes (*): 1000	(2) The provisions of Directive
10 03	Wastes from aluminium thermal metallurgy	mg/kg; Sum of the concentrations of tetrabromodiphenyl ether C ₁₂ H ₆ Br ₄ O), pentabromodiphenyl ether (C ₁₂ H ₅ Br ₅ O), hexabromodiphenyl ether	1999/31/EC ¹⁵ and Council Decision 2003/33/EC ¹⁶ were respected.
10 03 04 *	Primary production slags	$(C_{12}H_4Br_6O)$ and heptabromodiphenyl ether $(C_{12}H_3Br_7O)$: 10000 mg/kg; Toxaphene: 5000 mg/kg.	(3) It has been demonstrated that the selected operation is
10 03 08 *	Salt slags from secondary production		environmentally preferable.
10 03	Black drosses from		

¹⁷ Any waste marked with an asterisk '*' is considered as hazardous waste pursuant to Directive 2008/98/EC and is subject to the provisions of that Directive.

¹³ 'Hexabromocyclododecane' means hexabromocyclododecane, 1,2,5,6,9,10-hexabromocyclododecane and its main diastereoisomers: alpha- hexabromocyclododecane, beta- hexabromocyclododecane and gamma- hexabromocyclododecane.

¹⁴ The calculation method laid down in European standards EN 12766-1 and EN 12766-2 shall apply.

¹⁵ Council Directive 1999/31/EC of 26 April 1999 on the landfill of waste (OJ L 182, 16.7.1999, p. 1).

¹⁶ Council Decision 2003/33/EC of 19 December 2002 establishing criteria and procedures for the acceptance of waste at landfills pursuant to Article 16 of and Annex II to Directive 1999/31/EC (OJ L 11, 16.1.2003, p. 27).

09 *	secondary production
10 03 19 *	Flue-gas dust containing hazardous substances
10 03 21 *	Other particulates and dust (including ball-mill dust) containing hazardous substances
10 03 29 *	Wastes from treatment of salt slags and black drosses containing hazardous substances
10 04	Wastes from lead thermal metallurgy
10 04 01 *	Slags from primary and secondary production
10 04 02 *	Dross and skimmings from primary and secondary production
10 04 04 *	Flue-gas dust
10 04 05 *	Other particulates and dust

10 04 06 *	Solid wastes from gas treatment
10 05	Wastes from zinc thermal metallurgy
10 05 03 *	Flue-gas dust
10 05 05 *	Solid waste from gas treatment
10 06	Wastes from copper thermal metallurgy
10 06 03 *	Flue-gas dust
10 06 06 *	Solid wastes from gas treatment
10 08	Wastes from other non- ferrous thermal metallurgy
10 08 08 *	Salt slag from primary and secondary production
10 08 15 *	Flue-gas dust containing hazardous substances
10 09	Wastes from casting of ferrous pieces

09 d	Flue-gas dust
ł	containing hazardous substances
r C H S I	WASTES NOT OTHERWIS E SPECIFIED IN THE LIST
11 1	Waste linings and refractories
11 t 01 * a r f r f r F c h	Carbon- based linings and refractories from metallurgical processes containing hazardous substances
11 a 03 * r f r F C h	Other linings and refractories from metallurgical processes containing hazardous substances
(CONSTRU CTION AND DEMOLITI ON WASTES (INCLUDIN G EXCAVAT ED SOIL FROM CONTAMI

	NATED SITES)
17	Concrete,
01	bricks, tiles and ceramics
17 01 06 *	Mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing hazardous substances
17 05	Soil (including excavated soil from contaminate d sites), stones and dredging spoil
17 05 03 *	Soil and stones containing hazardous substances
17 09	Other construction and demolition wastes
17 09 02 *	Construction and demolition wastes containing PCB, excluding PCB containing equipment
17	Other

09 03 *	construction and demolition wastes (including mixed wastes) containing hazardous substances	
19	WASTES FROM WASTE MANAGEM ENT FACILITIE S, OFF- SITE WASTE WATER TREATME NT PLANTS AND THE PREPARAT ION OF WATER INTENDED FOR HUMAN CONSUMP TION AND WATER FROM INDUSTRI AL USE	
19 01	Wastes from incineration or pyrolysis of waste	
19 01 07 *	Solid wastes from gas treatment	
19 01 11 *	Bottom ash and slag containing hazardous	

	substances
19 01 13 *	Fly ash containing hazardous substances
19 01 15 *	Boiler dust containing hazardous substances
19 04	Vitrified waste and waste from vitrification
19 04 02 *	Fly ash and other flue- gas treatment wastes
19 04 03 *	Non-vitrified solid phase

The maximum concentration limit of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD and PCDF) shall be calculated according to the following toxic equivalency factors (TEFs):

PCDD	TEF
2,3,7,8-TeCDD	1
1,2,3,7,8-PeCDD	1
1,2,3,4,7,8-HxCDD	0,1
1,2,3,6,7,8-HxCDD	0,1
1,2,3,7,8,9-HxCDD	0,1
1,2,3,4,6,7,8- HpCDD	0,01
OCDD	0,0003
PCDF	TEF

2,3,7,8-TeCDF	0,1
1,2,3,7,8-PeCDF	0,03
2,3,4,7,8-PeCDF	0,3
1,2,3,4,7,8-HxCDF	0,1
1,2,3,6,7,8-HxCDF	0,1
1,2,3,7,8,9-HxCDF	0,1
2,3,4,6,7,8-HxCDF	0,1
1,2,3,4,6,7,8- HpCDF	0,01
1,2,3,4,7,8,9- HpCDF	0,01
OCDF	0,0003

↑

ANNEX VI

Repealed Regulation with list of its successive amendments

Regulation (EC) No 850/2004 of the European Parliament and of the Council (OJ L 158, 30.4.2004, p. 7)	
Council Regulation (EC) No 1195/2006 (OJ L 217, 8.8.2006, p. 1)	
Council Regulation (EC) No 172/2007 (OJ L 55, 23.2.2007, p. 1)	
Commission Regulation (EC) No 323/2007 (OJ L 85, 27.3.2007, p. 3)	
Regulation (EC) No 219/2009 of the European Parliament and of the Council (OJ L 87, 31.3.2009, p. 109)	Only point 3.7 of the Annex
Commission Regulation (EC) No 304/2009 (OJ L 96, 15.4.2009, p. 33)	
Commission Regulation (EU) No 756/2010 (OJ L 223, 25.8.2010, p. 20)	
Commission Regulation (EU) No 757/2010 (OJ L 223, 25.8.2010, p. 29)	
Commission Regulation (EU) No 519/2012 (OJ L 159, 20.6.2012, p. 1)	
Commission Regulation (EU) No 1342/2014 (OJ L 363, 18.12.2014, p. 67)	
Commission Regulation (EU) 2015/2030 (OJ L 298, 14.11.2015, p. 1)	
Commission Regulation (EU) 2016/293 (OJ L 55, 2.3.2016, p. 4)	
Commission Regulation (EU) 2016/460 (OJ L 80, 31.3.2016, p. 17)	

ANNEX VII

CORRELATION TABLE

Regulation (EC) No 850/2004	This Regulation
Article 1(1)	Article 1
Article 2, introductory wording	Article 2, introductory wording
Article 2, pts. (a) to (d)	Article 2, pts. (a) to (d)
_	Article 2, pts. (e) and (f)
Article 2, pt. (e)	Article 2, pt. (g)
Article 2, pt. (f)	Article 2, pt. (h)
Article 2, pt. (g)	Article 2, pt. (i)
_	Article 2, pt. (j)
Article 3	Article 3
Article 4(1)(a)	Article 4(1)(a)
Article 4(1)(b)	Article 4(1)(b)
Article 1(2)	Article 4(1)(c)
Article 4(2)	Article 4(2)
Article 4(3)(a)	Article 4(3)(a)
Article 4(3)(b)	Article 4(3)(b)
_	Article 4(3)(c)
Article 1(2)	Article 4(4)
Article 5	Article 5
Article 6	Article 6
Article 7(1)	Article 7(1)
Article 7(2)	Article 7(2)
Article 7(3)	Article 7(3)
Article 7(4)	Article 7(4)

Article 7(5)	Article 7(5)
Article 7(6)	Article 7(6)
Article 7(7)	_
_	Article 8
Article 8	Article 9
Article 9	Article 10
Article 10	Article 11
Article 11	Article 12
Article 12(1)	Article 13(1)(a)
Article 12(3)(a)	Article 13(1)(b)
Article 12(3)(b)	Article 13(1)(c)
_	Article 13(1)(d)
Article 12(3)(c)	Article 13(1)(e)
Article 12(2)	Article 13(1)(f)
_	Article 13(2)
Article 12(4)	_
Article 12(5)	Article 13(3)
Article 12(6)	_
_	Article 13(4)
_	Article 13(5)
Article 13	Article 14
Article 14	Article 15
_	Article 16
_	Article 17
_	Article 18
Article 15	Article 19

Article 16	Article 20
Article 17	_
Article 18	_
_	Article 21
Article 19	Article 22
Annexes I to V	Annexes I to V
_	Annex VI
_	Annex VII