

# 2015 ADR regulated goods

## The practical guide



# **Contents**

## ***I – Introduction to Eurotunnel’s Policy for ADR regulated goods***

## ***II – Definition of terms used***

## ***III – List of ADR regulated goods accepted***

Class 1:	Explosive substances and articles
Class 2:	Gases: compressed, liquefied or dissolved under pressure
Class 3:	Flammable liquids
Class 4.1:	Flammable solids
Class 4.2:	Substances liable to spontaneous combustion
Class 4.3:	Substances which in contact with water emit flammable gases
Class 5.1:	Oxidizing substances
Class 5.2:	Organic peroxides
Class 6.1:	Toxic substances
Class 6.2:	Infectious substances
Class 7:	Radioactive materials
Class 8:	Corrosive substances
Class 9:	Miscellaneous dangerous substances and articles

## ***IV – What to do on arrival at the Freight Terminal***

## ***V – Eurotunnel contact details***

## ***I – Introduction to Eurotunnel's policy for ADR regulated goods***

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

Eurotunnel's policy on the carriage of ADR regulated goods is therefore designed to ensure the safety of its customers and staff, and the integrity of the Tunnel. This policy has been produced in close collaboration with industry and with relevant trade and professional bodies.

The carriage of goods classified as hazardous through the Channel Tunnel must comply with ADR (European Agreement concerning the International Carriage of Dangerous Goods by Road). ADR regulated goods definitions are subject to the 2015 revision of the ADR regulations. Declarations have to be made using the 2015 ADR revisions from 1<sup>st</sup> July 2015.

Eurotunnel Freight will accept, restrict or refuse goods on the basis of ADR definitions. This ADR regulated goods policy has been decreed by a By-Law in the UK and an Arrêté Ministériel in France and forms an integral part of Eurotunnel's Conditions of Carriage.

The carriage of Dangerous Goods must also comply with Eurotunnel's own regulations as described in this document, which are more stringent than those in ADR, to reflect the specific safety characteristics of the Channel Tunnel infrastructure.

The carrier is responsible for ensuring that the goods he is carrying comply with these regulations. Furthermore it is also the carrier's responsibility to provide the compulsory documentation, including for vehicles travelling under the provisions of ADR chapter 1.1.3.6. Goods, which are transported under the conditions (packaging, weight, etc.) laid down in the respective Chapter (e.g. 3.4 – Limited Quantities and 3.5 – Excepted Quantities) of ADR are authorised for transit via the Eurotunnel Freight service, under the terms of ADR.

Eurotunnel Freight reserves the right to authorise or refuse carriage of ADR regulated goods via Eurotunnel Freight, irrespective of their type, origin and / or destination.

## ***II – Definition of terms used***

Some of the specific terminology and expressions used in the Eurotunnel Freight policy for ADR regulated goods are defined below.

### **Transport unit:**

A transport unit is:

- a lorry or a trailer;
- a container or swap body;

A lorry with a coupled trailer represents two units of transport.

In the case of a lorry with trailer, carrying two containers, then each container represents a separate transport unit.

Wherever the term “transport unit” is used in this document, it shall be construed as a “transport unit” as defined above.

### **Unit package:**

The maximum volume of a particular product carried in one and the same receptacle for transit through the Channel Tunnel.

### **Quantities:**

The quantities of goods are divided into three categories:

\* ***Carried with no restriction on quantity***

\* ***Carried subject to restriction on quantity:***

- **Product may be carried but maximum unit package size is restricted:**

No restriction on the quantity carried per unit of transport but must be in unit packages of

- 250 litres
- 400 kg
- 1000 litres (for gases with a Classification Code of 1O or 2O).

- **Maximum quantity per transport unit:**

Carriage is only permitted on the premise that the maximum quantity per transport unit is not exceeded. The number of packages and their volume is unrestricted provided that their overall volume or weight does not exceed the limit of the relevant class for each transport unit, as shown in the list of ADR regulated goods accepted.

If several products of the same class in any one transport unit fall into the same category, the sum of all their quantities must not exceed the limit of the relevant class for each transport unit.

- **Other maximum quantities allowed:**

The authorised limit is in net kilograms per transport unit unless otherwise indicated.

\* ***Not permitted***

**It should be noted that this document only describes those substances accepted for carriage, with or without restrictions (see section III of this guide). Other goods, classified as hazardous under ADR are not accepted for transit via Eurotunnel Freight.**

### **Empty Containers:**

Eurotunnel Freight will accept, without restriction, the carriage of empty containers, which would have been accepted when full. Containers, which would not have been accepted for carriage when full, must be cleaned and an “ad-hoc” certificate to this effect submitted before carriage can be authorised.

### ***III – List of ADR regulated goods accepted***

The following list details those ADR regulated goods authorised for transit via Eurotunnel Freight by their ADR Class, UN Number and packing group. Restrictions are stated where applicable.

ADR Regulated Goods that should bear two or more danger labels (labels 1 to 9) are not authorised for transit via Eurotunnel Freight, with the exception of the goods specified under Class 2. Further exceptions may be made for goods named in this Guide that pose a secondary hazard derived from their method of packaging. This is the case for UN 3291 and UN 3245, which are accepted when packed in refrigerated liquid nitrogen.

**Please note that ADR regulated goods that do not appear in this list are not authorised for transit via Eurotunnel Freight.**

**However, goods that are not subject to ADR are also not included in this list but are authorised for transit via Eurotunnel Freight. This includes but is not limited to products such as straw (UN 1327) and dry ice (UN 1845), goods packed in limited or excepted quantities in accordance with ADR Chapters 3.4 and 3.5 and goods being transported under a Special Provision e.g. SP188.**

**• ADR – Class 1: Explosive substances and articles**

Substances and articles of Class 1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 0012			
• 0014			
• 0044			
• 0055			
• 0070			
• 0105			
• 0110			
• 0131			
• 0173			
• 0174			
• 0193			
• 0323			
• 0337			
• 0345			
• 0349			
• 0366			
• 0367	• n/a	• 1.4S	• Quantity accepted for carriage restricted to 15kg of net explosive substance per transport unit (15kg of substance not of explosive articles)  Net = not including packaging
• 0368			
• 0373			
• 0376			
• 0384			
• 0404			
• 0405			
• 0432			
• 0441			
• 0445			
• 0454			
• 0455			
• 0456			
• 0460			
• 0500			
• 0506			
• 0507			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure**

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1002	• n/a	• 1A	• No restriction
• 1006		2A	
• 1009			
• 1013			
• 1018			
• 1020			
• 1021			
• 1022			
• 1028			
• 1029			
• 1044			
• 1046		• 1A	
• 1056			
• 1057		• 6F	• Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
• 1058		• 2A	• No restriction
• 1065		• 1A	
• 1066			
• 1070		• 2O	• No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
• 1072		• 1O	
• 1078		• 2A	• No restriction
• 1080			
• 1858		• 3A	
• 1913		• 5A	
• 1950		• 5C	• Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
• 1950		• 5F	
• 1950		• 5O	
• 1950		• 5T	
• 1951		• 3A	
• 1952		• 2A	• No restriction
• 1956		• 1A	
• 1958		• 2A	
• 1963		• 3A	
• 1968	• 2A		
• 1970	• 3A		
• 1973			
• 1974	• 2A		
• 1976			
• 1977	• 3A		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure**

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1982	n/a	2A	No restriction
• 1983			
• 1984			
• 2036			
• 2037		• 5A	• Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
• 2037		• 5F	
• 2037		• 5O	
• 2037		• 5T	
• 2187		• 3A	• No restriction
• 2193		• 2A	
• 2422			
• 2424			
• 2451		• 2O	• No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
• 2591		• 3A	• No restriction
• 2599		• 2A	
• 2602		• 6A	
• 2857		• 2A	
• 3070		• 3A	
• 3136		• 6F	
• 3150		• 1O	• No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
• 3156		• 2O	
• 3157		• 3A	• No restriction
• 3158		• 2A	
• 3159		• 6A	
• 3163		• 7F	
• 3164		• 7T	
• 3167		• 2A	
• 3169			
• 3220			
• 3296			
• 3297			
• 3298			
• 3299			
• 3337		• 2A	
• 3338			
• 3339			
• 3340			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure**

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 3478	n/a	6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
• 3479		8A	No restriction
• 3500		9A	
• 3511		9O	No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum
• 3513			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 3: Flammable liquids**

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1088			
• 1090	• II		
• 1091			
• 1104	• III		
• 1105	• II		
• 1105	• III		
• 1107	• II		
• 1109	• III		
• 1110			
• 1111	• II		
• 1112	• III		
• 1113			
• 1114	• II		
• 1120			
• 1120	• III		
• 1123	• II		
• 1123	• III		
• 1126			
• 1127	• II		
• 1128			
• 1129			
• 1130	• III	• F1	• Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 1133	• II		
• 1133	• III		
• 1134			
• 1136	• II		
• 1136	• III		
• 1139	• II		
• 1139	• III		
• 1145	• II		
• 1146			
• 1147	• III		
• 1148	• II		
• 1148	• III		
• 1149			
• 1150	• II		
• 1152	• III		
• 1153	• II		
• 1153	• III		
• 1156	• II		
• 1157	• III		
• 1159	• II		
• 1161			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 3: Flammable liquids**

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1164	II	• F1	• Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 1165			
• 1166			
• 1169			
• 1169	• III		
• 1170	• II		
• 1170	• III		
• 1171			
• 1172	• II		
• 1173			
• 1175			
• 1176	• III		
• 1177			
• 1178	• II		
• 1179	• III		
• 1180			
• 1188			
• 1189	• II		
• 1190			
• 1191	• III		
• 1192			
• 1193	• II		
• 1195			
• 1197			
• 1197	• III		
• 1201	• II		
• 1201	• III		
• 1202			
• 1203	• II		
• 1204			
• 1206	• III		
• 1207			
• 1208	• II		
• 1210	• III		
• 1210			
• 1212	• F1		
• 1213			
• 1216			
• 1219			
• 1220	• II		
• 1222			
• 1223	• III		
• 1224	• II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 3: Flammable liquids**

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 1224	• III	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit	
• 1229				
• 1231	• II			
• 1233	• III			
• 1234	• II			
• 1237				
• 1245				
• 1246				
• 1247				
• 1248				
• 1249				
• 1261				
• 1262				
• 1263				• III
• 1264				
• 1265	• II			
• 1266				
• 1266	• III			
• 1267	• II			
• 1267	• III			
• 1268	• II			
• 1268	• III			
• 1272				
• 1274	• II			
• 1274	• III			
• 1275	• II			
• 1276				
• 1278				
• 1279				
• 1281				
• 1282				
• 1286				• III
• 1286				• II
• 1287				• III
• 1288				• II
• 1288	• III			
• 1292				
• 1293	• II			
• 1293	• III			
• 1294	• II			
• 1299	• III			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 3: Flammable liquids**

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1300	• II	• F1	• Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 1300	• III		
• 1301	• II		
• 1304			
• 1306	• III		
• 1306			
• 1307	• II		
• 1307	• III		
• 1308	• II		
• 1308	• III		
• 1648	• II		
• 1862			
• 1863			
• 1863	• III		
• 1865	• II		
• 1866			
• 1866	• III		
• 1914			
• 1915			
• 1917	• II		
• 1918	• III		
• 1919	• II		
• 1920	• III		
• 1987	• II		
• 1987	• III		
• 1989	• II		
• 1989	• III		
• 1993	• II		
• 1993	• III		
• 1999	• II		
• 1999	• III		
• 2045	• II		
• 2046	• III		
• 2047	• II		
• 2047			
• 2048	• III		
• 2049			
• 2050	• II		
• 2052	• III		
• 2053			
• 2055			
• 2056	• II		
• 2057			
• 2057	• III		
• 2058	• II		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 3: Flammable liquids**

**Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction
• 2059	II	• D	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 2059	III	• F1	
• 2219			
• 2222			
• 2227			
• 2234			
• 2238			
• 2241		• II	
• 2242	• III		
• 2243			
• 2244			
• 2245	• II		
• 2246	• III		
• 2247	• II		
• 2251	• III		
• 2252			
• 2256			
• 2263	• II		
• 2265	• III		
• 2271			
• 2275			
• 2277	• II		
• 2278	• III		
• 2282			
• 2283			
• 2286	• II		
• 2287	• III		
• 2288			
• 2293			
• 2296	• II		
• 2297	• III		
• 2298	• II		
• 2301	• III		
• 2302			
• 2303			
• 2309	• II		
• 2313	• III		
• 2319			
• 2323			
• 2324			
• 2325			
• 2329			
• 2330			
• 2332	• II		
• 2338			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

• 2339			
--------	--	--	--

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 3: Flammable liquids**

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2340	• II	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 2341	• III		
• 2342	• II		
• 2343			
• 2344	• III		
• 2344			
• 2345	• II		
• 2346			
• 2347			
• 2348	• III		
• 2350	• II		
• 2351			
• 2351	• III		
• 2352	• II		
• 2358			
• 2362			
• 2364	• III		
• 2366			
• 2367	• II		
• 2368	• III		
• 2370	II		
• 2372			
• 2373			
• 2374			
• 2375			
• 2376			
• 2377			
• 2380			
• 2384			
• 2385			
• 2387			
• 2388			
• 2390			
• 2391			
• 2392			
• 2393	• II		
• 2394	• III		
• 2397	• II		
• 2398			
• 2400			
• 2402	• III		
• 2403			
• 2405	• III		
• 2406	• II		
• 2409			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**• ADR – Class 3: Flammable liquids**

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2410	II	• F1	• Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 2412			
• 2413	• III		
• 2414			
• 2416			
• 2436			
• 2457	• II		
• 2458			
• 2460			
• 2461			
• 2498			
• 2514			
• 2520	• III		
• 2524			
• 2527			
• 2528			
• 2536	• II		
• 2541	• III		
• 2554	• II		
• 2560			
• 2607	• III		
• 2608			
• 2612	• II		
• 2614	• III		
• 2615			
• 2616	• II		
• 2616			
• 2617			
• 2618	• III		
• 2620			
• 2621			
• 2707	• II		
• 2707			
• 2709	• III		
• 2710			
• 2752			
• 2838	• II		
• 2840			
• 2842			
• 2850			
• 2933	• III		
• 2934			
• 2935			
• 2943			
• 2947			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 3022	• II	F1	Quantity accepted for carriage restricted to a maximum of 250 litres per transport unit
• 3054	• III		
• 3056			
• 3065	• II		
• 3065	• III		
• 3092			
• 3269	• II	F3	
• 3269	• III		
• 3271	• II	F1	
• 3271	• III		
• 3272	• II		
• 3272	• III		
• 3295	• II		
• 3295	• III		
• 3336	• II		
• 3336	• III		
• 3371	• II		
• 3473	• n/a	F3	
• 3475	• II	F1	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 4.1: Flammable solids**

**Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 1309	• II	• F3	• No restriction	
• 1309	• III	• F1		
• 1312		• F3		
• 1313				
• 1314				
• 1318				
• 1323	• II	• F1		
• 1324	• III			
• 1325	• II			
• 1325	• III	• F3		
• 1326	• II			
• 1328	• III			• F1
• 1330		• F3		
• 1331		• F1		
• 1332		• II		• F3
• 1333	• F1			
• 1334	• III		• F3	
• 1338		• II		
• 1339				• F3
• 1341	• F1			
• 1343		• F3		
• 1345			• III	• F3
• 1346	• II			
• 1350		• F3		
• 1352			• III	• F1
• 1353	• F3			
• 1358		• II		
• 1869			• III	• F3
• 1944	• F1			
• 1945		• F3		
• 2000				• F1
• 2001	• F3			
• 2213		• F1		
• 2254				• F3
• 2538	• II			
• 2623		• III		
• 2687				• F3
• 2714	• F1			
• 2715		• F3		
• 2717			• F1	
• 2858	• F3			
• 2878		• SR1		
• 2956			• III	• F3

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 4.1: Flammable solids**

**Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 2989	• II	• F3	• Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
• 2989	• III		• No restriction	
• 3089	• II		• Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
• 3089	• III		• No restriction	
• 3178	• II		• Quantity accepted for carriage restricted to a maximum of 8t per transport unit	
• 3178	• III		• No restriction	
• 3181	• II		• SR1	• Quantity accepted for carriage restricted to a maximum of 400kg per transport unit
• 3181	• III			• No restriction
• 3182				• No restriction
• 3241				• No restriction
• 3242	• II	• Quantity accepted for carriage restricted to a maximum of 400kg per transport unit		
• 3251	• III	• F1	• No restriction	
• 3270	• II		• No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

- **ADR – Class 4.2: Substances liable to spontaneous combustion**

- No substances or articles of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

- **ADR – Class 4.3: Substances which in contact with water emit flammable gases**

- No substances of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 5.1: Oxidizing substances**

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction		
• 1438	• III	• O2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 1444					
• 1450	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 1451	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 1452	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 1454	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 1455	• II		• O2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1456					
• 1457					
• 1458					
• 1458	• III				
• 1459	• II				
• 1459	• III				
• 1461	• II				
• 1465	• III				• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1466					
• 1467					
• 1471	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 1471	III				
• 1472	II				
• 1473					
• 1474	• III	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum			
• 1475	• II	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum			
• 1476					
• 1477	• III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 1477					

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 5.1: Oxidizing substances**

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction	
• 1479	• II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1479	• III			
• 1481	• II			
• 1481	• III			
• 1482	• II			
• 1482	• III			
• 1483	• II			
• 1483	• III			
• 1484	• II			
• 1485	• III			
• 1486	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1487	• II		• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1488			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1489			• III	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1490				
• 1492	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1493			• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1494			• III	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1495				
• 1498	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1499				
• 1502	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1503				
• 1505	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1506	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1507	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**• ADR – Class 5.1: Oxidizing substances**

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 1508	• II	O2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1509			Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1512			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 1513			• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 1514			• III	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1515				
• 1516				
• 1748				
• 1748				
• 2208				
• 2427	• II	• O1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2427	• III			
• 2428	• II			
• 2428	• III			
• 2429	• II			
• 2429	• III			
• 2465	• II	• O2	• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2468	• III		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2469			• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2627	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2720	• III		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2721	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2722	• III		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 5.1: Oxidizing substances**

**Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction	
• 2723	• II	• O2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2724	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2725			• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2726			• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2728			• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2880	• II		• O1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2880	• III			
• 3139	• II			
• 3210	• III			
• 3210	• II			
• 3211	• III			
• 3211	• II			
• 3212	• III			
• 3212	• II			
• 3213	• III			
• 3213	• II			
• 3214	• III			
• 3215	• II			
• 3216	• III			
• 3218	• II	• O1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3218	• III		• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3219	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 3219	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3247	• II	• O2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 3356	n/a	• O3		
• 3377	• III	• O2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3378	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 3378	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3407	• II	• O1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 3407	• III			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

- **ADR – Class 5.2: Organic peroxides**

- No substances or articles of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1544	• II	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1544	• III		• No restriction
• 1547	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1548	• III	• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 1549			• No restriction
• 1550			
• 1551			
• 1564	• II	• T5	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1564	• III		• No restriction
• 1577	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1578		• T2	
• 1579		• III	
• 1583	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1583	• III		• No restriction
• 1590	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1591	• III		• No restriction
• 1593			
• 1594	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1596		• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1597			
• 1597	• III	• T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1598	• II	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1599			
• 1599	• III	• T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 1601	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1601	• III		
• 1602	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1602	• III		
• 1611	• II		
• 1616	• III	• T5	• No restriction
• 1650	• II	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1651			
• 1652		• T1	
• 1654			
• 1655		• T2	
• 1655		• III	
• 1656	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1656	• III		
• 1657	• II	T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1658		• T1	
• 1658			
• 1659	• II	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1661			
• 1662		• T1	
• 1663	• III	• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 1664	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1665			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 1669	• II	• T1	<ul style="list-style-type: none"> <li>• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	
• 1671				
• 1673	• III	• T2	<ul style="list-style-type: none"> <li>• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded</li> </ul>	
• 1690		• T5	<ul style="list-style-type: none"> <li>• No restriction</li> </ul>	
• 1693	• II	• T1	<ul style="list-style-type: none"> <li>• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	
• 1697		• T2		
• 1701		• T1		<ul style="list-style-type: none"> <li>• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>
• 1702				
• 1704				
• 1708				
• 1709	• III	• T2	<ul style="list-style-type: none"> <li>• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded</li> </ul>	
• 1710			<ul style="list-style-type: none"> <li>• No restriction</li> </ul>	
• 1711	• II	• T1	<ul style="list-style-type: none"> <li>• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	
• 1812	• III	• T5	<ul style="list-style-type: none"> <li>• No restriction</li> </ul>	
• 1843	• II	• T2	<ul style="list-style-type: none"> <li>• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	
• 1846		• T1	<ul style="list-style-type: none"> <li>• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	
• 1851			<ul style="list-style-type: none"> <li>• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	
• 1851			• III	<ul style="list-style-type: none"> <li>• No restriction</li> </ul>
• 1884		• T5		
• 1885	• II	• T2	<ul style="list-style-type: none"> <li>• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum</li> </ul>	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1886	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1887	• III		• No restriction
• 1888			
• 1891	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1897	• III		• No restriction
• 2016	• n/a	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2018	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2019		• T1	
• 2020		• III	• T2
• 2021	• No restriction		
• 2038	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2074	• III	• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2075	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2077	• III	• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2078	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2205	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2206	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2206	• III		• No restriction
• 2224	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2233	• III	• T2	• No restriction
• 2235			
• 2236	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2237	• III		• No restriction
• 2239			
• 2250	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2253		• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2261		• T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2272	• III	T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2273			No restriction
• 2274			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2279			• No restriction
• 2281	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2290	• III	• T5	• No restriction
• 2291			
• 2294			
• 2299	• III		• No restriction
• 2300			• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2306	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2307			
• 2311	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2321			• No restriction
• 2322	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2328	• III		• No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 2431	• III	• T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2432			• No restriction	
• 2433		• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2446			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2470			• No restriction	
• 2490	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2501			• No restriction	
• 2501	• III	• T5	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2504			• No restriction	
• 2505		• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2512			• No restriction	
• 2515			• No restriction	
• 2516		• T1	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2518				• No restriction
• 2522	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2525	• III		• No restriction	
• 2533			• No restriction	
• 2542	• II	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2552			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2567		• T5	• No restriction	
• 2570			• No restriction	
• 2570		• III	• No restriction	
• 2572	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2574			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2587		• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2588			• T7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2588	• III	T7	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2609			• No restriction
• 2643	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2645			
• 2647		• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2648		• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2649		• T2	
• 2650		• T1	
• 2651		• III	• T2
• 2653	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2655	• III	• T5	• No restriction
• 2656		• T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2659			• No restriction
• 2660		• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2661			No restriction
• 2664			
• 2667			
• 2669		• II	
• 2669	• III		• No restriction
• 2671	• II	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2673			
• 2674	• III	• T5	• No restriction
• 2688			
• 2689			
• 2690	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2713	• III	• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2716			• No restriction
• 2729			
• 2730			
• 2732			• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2738	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2747	• III		• No restriction
• 2750	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2753	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2754	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2757			
• 2757	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2759	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2759	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2761	• II		• T7
• 2761	• III	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2763	• II	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2763	• III	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2763			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 2771	• II	T7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2771	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2775	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2775	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2777	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2777	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2779	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2779	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2781	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2781	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2783	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2783	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2785			• T1	• No restriction
• 2786	• II		• T7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 2786	• III	T7	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2788	• II	• T3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2788	• III		• No restriction	
• 2810	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2810	• III		• No restriction	
• 2811	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2811	• III		• No restriction	
• 2821	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2821	• III		• No restriction	
• 2822	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2831	• III		• No restriction	
• 2839	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2849	• III		T5	• No restriction
• 2853				
• 2854				
• 2855				
• 2856				
• 2859	• II	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2861	• III	• No restriction		
• 2862	• II	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2863	• III	• No restriction		
• 2864	• II	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2871	• III	• No restriction		
• 2872	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2872	• III		• No restriction	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2873	• III	T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2874		• T2	• No restriction
• 2875			
• 2876			
• 2902	• II	• T6	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2902	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2931	• II	• T5	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2936		• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2937	• No restriction		
• 2941	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2942			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2946			
• 2948		• II	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2966	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
• 2992	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2992		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 2994	• II	• T6	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2994	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 2996	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2996	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

			Bulk transport excluded
--	--	--	-------------------------

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2998	• II	T6	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2998	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3006	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3006	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3010	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3010	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3012	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3012	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3014	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3014	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3016	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3016	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3018	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 3018	• III	T6	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3020	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3020	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3026	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3026	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3027	• II		• T7
• 3027	• III	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
• 3140	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3140	• III	• T4	• No restriction
• 3141			
• 3142	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3142	• III		• No restriction
• 3143	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3143	• III		• No restriction
• 3144	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3144	• III		• No restriction
• 3146	• II	• T3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3146	• III		• No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 3155	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3172		• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3172	• III		• No restriction
• 3243	• II	• T9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3249		• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3249		• III	
• 3276	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3276	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3278	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3278	• III		• No restriction
• 3284	• II	• T5	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3284	• III		• No restriction
• 3285	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3285	• III		• No restriction
• 3287	• II	• T4	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3287	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3288	• II	• T5	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3288	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction
• 3293	III	• T4	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3302	II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3345		• T7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3345	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3348	• II	• T6	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3348	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3349	• II	• T7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3349	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3352	• II	• T6	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3352	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3409	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3410	• III		• No restriction
• 3411	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3411	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

UN Number	Packing Group	Classification Code	Restriction
• 3415	• III	• T4	• No restriction
• 3416	• II	• T1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3417		• T2	
• 3418	• III	• T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3422		• T4	• No restriction
• 3424	• II	• T1	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3424	• III		• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3426		• No restriction	
• 3427		• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3428	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3429	• III	• T1	• No restriction
• 3430	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3431		• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3434	• III	• T1	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3436	• II	• T2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3437			• No restriction
• 3438	• III		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3439	• II	• T2	• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3439	• III	• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3441	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3442			
• 3443			
• 3444			
• 3445			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight  
(see section III of this guide)

**• ADR – Class 6.1: Toxic substances**

**Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction	
• 3446		• T2	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3447			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 3448			• II	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3451				• No restriction
• 3452				• Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
• 3454				• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3457	• III			• No restriction
• 3458				• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3459			• No restriction	
• 3460	• III		• No restriction	
• 3462	• II		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 3462	• III		• No restriction	
• 3464	• II	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 3464	• III	• No restriction		

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 6.2: Infectious substances**

Substances and articles of Class 6.2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification code I3 when packed in refrigerated liquid nitrogen (see section III of this guide).

• UN • Num • ber	• Packing • Group	• Classificatio • n • Code	• Restriction
• 3291	• II	• I3	No restriction
• 3373	• n/a	• I4	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 7: Radioactive materials**

**The carriage of Radioactive Materials of Class 7 (listed below) is only authorised through Eurotunnel Freight with Eurotunnel’s prior agreement.**

Substances and articles of Class 7 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

Class 7 and Class 1 commodities cannot be transported together in the same transport unit.

For more information regarding both the restrictions on the carriage of Radioactive Materials and the procedure for gaining authorisation for transit via Eurotunnel Freight, please refer to section V of this guide (Eurotunnel contact details).

• UN Number	• Packing Group	• Classification Code	• Restriction	
• 2908	• n/a	• n/a	• No restriction on this type of product.	
• 2909				
• 2910				
• 2911			• Restricted solely to non combustible solids of new manufactured goods in their original packaging.	
• 2912				
• 2913				
• 2915				• Restricted to manufactured products only
• 3321				• Restricted solely to non combustible solids of new manufactured goods in their original packaging.
• 3322				
• 3332				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1716	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1718	• III		
• 1719	• II	• C5	• No restriction
• 1719	• III		
• 1725		• C2	
• 1726			
• 1728	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1729		• C4	
• 1730			
• 1731	• III	• C1	• No restriction
• 1733		• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1736			
• 1742	• II	• C3	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1743			
• 1753			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1755	• III		• No restriction
• 1757	• II	• C1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1757	• III		• No restriction
• 1759	• II	• C10	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1759	• III		• No restriction
• 1760	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1760	• III		• No restriction
• 1762			
• 1763		• C3	
• 1764			
• 1765	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1766		• C1	
• 1768		• C3	
• 1769		• C10	
• 1770		• C3	
• 1771		• C3	
• 1773	• III	• C2	• No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1774	• II	• C11	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1775		C1	
• 1776			
• 1778		C3	
• 1780			
• 1781			
• 1782		• C1	
• 1783	• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1783			
• 1784	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1787		• C1	• No restriction
• 1787	• III		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1788	• II		• No restriction
• 1788	• III		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1789	• II		• No restriction
• 1789	• III		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1789			• No restriction
• 1791	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1791	• III		• No restriction
• 1792	• II	• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1793	• III		• No restriction
• 1799	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1800			
• 1801			
• 1803			
• 1804			
• 1805	• III	• C1	• No restriction
• 1806	• II	• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1807		• C1	
• 1808			
• 1813		• C6	• No restriction
• 1814		• C5	
• 1814			
• 1817		• II	• C1

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1818	II	C1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1819	• III	• C5	No restriction
• 1819		• C6	
• 1823		• C5	
• 1824		• C6	
• 1824		• C5	
• 1825		• C6	
• 1827		• II	
• 1835	• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 1835		• C1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1837	• II	• C4	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1839		• C1	• No restriction
• 1840	• III	• C1	• No restriction
• 1847	• II	• C6	
• 1848	• III	• C3	
• 1849	• II	• C6	
• 1898		• C3	
• 1902	• III		• No restriction
• 1903	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1903	• III		• No restriction
• 1907		• C6	
• 1908	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1908	• III		• No restriction
• 1938	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1938	• III		• No restriction
• 1939	• II	• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 1940		• C3	
• 2028		• C11	
• 2033		• C6	
• 2033			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction
• 2079	II	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2209	• III	• C9	• No restriction
• 2214		• C4	
• 2215		• C3	
• 2215		• C4	
• 2225		• C3	
• 2226	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2259	• II	• C7	• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2262		• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2269	• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2280		• C8	• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2289		• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2305	• II	• C4	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2320	• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2326			
• 2327			
• 2331		• C2	• No restriction
• 2430	• II	• C4	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2430	• III		• No restriction
• 2434	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2435			
• 2437			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction		
• 2440	• III	• C2	• No restriction		
• 2442	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2443		• C1			
• 2475	• III	• C2	• No restriction		
• 2491		• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 2496		• C3	• No restriction		
• 2503		C2		• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2506	• II			• No restriction	
• 2507	• III				• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2508					
• 2509	• II			• No restriction	
• 2511	• III	• C3	• No restriction		
• 2513	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2531			• No restriction		
• 2564			• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2564	• III		• No restriction		
• 2565		• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 2571	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
• 2577					
• 2578	• III	• C2	• No restriction		
• 2579		• C8	• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
• 2580		• C1	• No restriction		
• 2581					
• 2582					
• 2585	• C4				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction	
• 2586	III	• C3	No restriction	
• 2670	• II	• C4	• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
• 2672	• III	• C5	• No restriction	
• 2677	• II			
• 2677	• III			
• 2678	• II			• C6
• 2679				• C5
• 2679	• III			• C5
• 2680	• II			• C6
• 2681				• C5
• 2681	• III			• C5
• 2682	• II			• C6
• 2691		• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2693	• III	• C1	• No restriction	
• 2698		• C4		
• 2705	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2735		• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2735	• No restriction			
• 2739	• II		• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2751		• III		• No restriction
• 2790	• n/a		• C11	
• 2794	• II	• C5	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2795		• C3		
• 2797	• n/a	• C11	• No restriction	
• 2798		• II		• C3
• 2799	• III	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
• 2800		• C2	• No restriction	
• 2801		• C10		
• 2802		• C10		
• 2803				

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 2815	• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 2819		• C3	No restriction
• 2820		• C4	
• 2823		• C3	
• 2829		• C2	
• 2834		• C1	
• 2837			
• 2865			
• 2869	• II	• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 2869	• III	• C9	• No restriction
• 2904		• C10	
• 2905	• II	• C6	
• 2949	• III	• C2	
• 2967			
• 2987	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3028	• n/a	• C11	• No restriction
• 3055	• III	• C7	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3066	• II	• C9	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3066	• III		• No restriction
• 3145	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3145	• III		• No restriction
• 3147	• II	C10	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3147	• III		• No restriction
• 3244	• II		• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3253	• III	• C6	• No restriction

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

**• ADR – Class 8: Corrosive substances**

**Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).**

• UN Number	• Packing Group	• Classification Code	• Restriction
• 3259	• II	• C8	• Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3259	• III	C8	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3260	• II	• C2	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3260	• III		• No restriction
• 3261	• II	• C4	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3261	• III		
• 3262	• II	• C6	• No restriction
• 3262	• III		
• 3263	• II	• C8	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3263	• III		• No restriction
• 3264	• II	• C1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3264	• III		• No restriction
• 3265	• II	C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3265	• III		
• 3266	• II	• C5	No restriction
• 3266	• III		
• 3267	• II	• C7	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3267	• III		
• 3320	• II	• C5	• No restriction
• 3320	• III		
• 3412	• II	• C3	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3412	• III		• No restriction
• 3419	• II	• C4	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3420			

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)



**• ADR – Class 8: Corrosive substances**

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

• UN • Number	• Packing Group	• Classificatio n Code	• Restriction
• 3423	• II	• C8	• Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
• 3425		• C4	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
• 3453	• III	• C2	• No restriction
• 3472		• C3	
• 3498	• II	• C1	• No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

• **ADR - Class 9: Miscellaneous dangerous substances and articles**

Substances and articles of Class 9 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification Code M8 when packed in refrigerated liquid nitrogen (see section III of this guide).

• UN Number	• Packing Group	• Classification Code	• Restriction
• 1931	• III	• M11	• No restriction
• 1941			
• 1990			
• 2211		• M3	
• 2969	• II	• M11	
• 2990	• n/a	• M5	
• 3072			
• 3077	• III	• M7	
• 3082		• M6	
• 3090	• n/a	• M4	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum
• 3091			No restriction
• 3245			
• 3257	• III	• M9	
• 3258		• M10	
• 3268	n/a	• M5	
• 3314	III	• M3	
• 3316	• II	• M11	
• 3316	• III		
• 3480	• n/a	M4	Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum
• 3481			No restriction
• 3499			
• 3508			
• 3509		M11	

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

## ***IV – What to do on arrival at the Freight Terminal***

**All goods regulated under ADR must be declared to Eurotunnel Freight prior to transit.**

### **1 – Before arrival:**

At the location at which your vehicle is loaded, check that the driver is issued with all the necessary documentation for registering his goods on arrival at the Eurotunnel Freight Terminal (see item 4 below).

### **2 - On arrival at the Eurotunnel Freight Terminals in the UK and in France:**

After leaving the motorway, the driver should follow the signs for the Freight terminals and then follow the route identified to the Freight Drivers Information Centres (FDIC).

The driver must declare on the self Check-in screen whether he is carrying ADR Regulated goods. He will then be directed to the Freight Drivers Centre Control Point located AFTER Check-in where the procedure described below will be followed.

### **3 – On arrival at the Freight Drivers' Information Centre (FDIC):**

The driver should park his vehicle in one of the spaces adjacent to the FDIC building and should then report to the Customer Service Agent in the FDIC building.

### **4 – Documentation which will be required:**

The driver must give the Customer Service Agent the documents (preferably in either English or French) carrying the information required by ADR and specifically for registration of goods by Eurotunnel Freight:

- \* UN Number
- \* 2015 ADR references (Class, Packing Group and Classification Code if applicable)
- \* Name and description of goods carried, including their volume and weight
- \* Details of packaging

You are encouraged to make sure that the information required is in the driver's possession. Accurate and complete documentation will avoid delay or rejections from the system.

### **5 – Checks:**

The Customer Service Agent will check that the goods being carried comply with Eurotunnel Freight regulations, as set out in this handbook. He / she will then make an external examination of the vehicle.

Note – This examination has no bearing on possible Police or Customs examinations, which may take place before departure.

## 6 – Identification:

Once the documentation and vehicle have been checked, the Customer Service Agent will issue the driver with a label, which displays an internal reference number. The Customer Service Agent will create a file with this number as a reference.

Reference numbers will enable Eurotunnel Freight to follow the vehicle's location in the Eurotunnel freight system and hence, should the need arise, to react swiftly according to the nature of the goods being carried.

**The label issued to the driver will identify the vehicle as carrying ADR regulated goods throughout its journey via Eurotunnel Freight. It should be placed on the vehicle's windscreen in a visible position and must not be removed until the vehicle has left the destination terminal at the end of its journey.**

## 7 – Journey through the system:

Once the Customer Service Agent has authorised the transit, the driver can return to his vehicle and follow the normal route through the terminal.

**If you wish to order more copies of this guide, please refer to section V.**

### **V – Eurotunnel contact details**

For further information on Eurotunnel Freight's policy for ADR regulated goods, please contact:

Eurotunnel Freight Commercial Department  
UK Terminal  
Ashford Road  
Folkestone  
Kent CT18 8XX  
United Kingdom

Tel + 44 (0) 1303 282 244  
Fax + 44 (0) 1303 283 500  
Email [freight@eurotunnel.com](mailto:freight@eurotunnel.com)

Eurotunnel  
Service Commercial Fret  
Siège d'Exploitation  
B.P. 69  
62904 Coquelles Cedex  
France

Tél + 33 (0) 3 21 00 64 65  
Fax + 33 (0) 3 21 00 61 59  
Email [freight@eurotunnel.com](mailto:freight@eurotunnel.com)